



SK Ham Gear For Sale

Contact aa6qi@arrl.net
if interested in any of these items.

Sons of the SK Hams from first two estates have agreed to donate 20% of any sales (after repair expenses) to the PRC.

Newer estates still TBD.



N6MPC

FIRST ESTATE (FOUR ITEMS LEFT)



Items For Sale

Kenwood TH-G71 2m/70cm HT



S/N 90600288
Mfr'd Sept 2008

SMA
Antenna
Connector

Features

- 200 Alpha Memories
- Dual scan CO/TO
- Key Illumination
- Multi Scanning Modes
- Built-in encode/decode
- Easy to use menu
- 3 RF Out Levels
- MIL-STD 810E

July 30, 2021

- The **Kenwood TH-G71A** is a dual bander with illuminated keys and backlit display.
 - The menu mode allows you to customize the TH-G71A by adjusting all major settings.
 - Up to 6 watts (VHF) or 5.5 (UHF) with external power. Three RF output levels: 5 watts (PB-39), 0.5 watt and an extra low 50 mW.
 - There are 200 memory channels, with six alphanumeric characters, allowing you to store transmit and receive frequencies independently.
 - Multiple scan functions are available including programmable band scan, memory scan with memory channel lockout, MHz scan and call scan. For each band there are TO (time-operated), CO (carrier-operated) and seek scan resume modes.
 - **Includes: New keypad (May 2021), New PB-39 7.2V/1100 mAhr NiMH battery, BC-17 AC Charger, Belt Clip and SMA flexible antenna; BC-19 rapid charger (for NiCd batteries); SMC-34 speaker mic with remote & volume.**
- Excellent eHam reviews!**
- **Everything works. Asking \$100.00 (price due to cost of the new NiMH battery & new keypad)**

Estate Equipment For Sale



Items For Sale

Kenwood TH-G71 2m/70cm HT

Asking \$100

SMA
Flexible antenna



TH-G71
Original
Manual

BC-17 Wall-Wart
Slow Charger

BC-19 Rapid
Charger

TH-G71 Radio
W/ new keypad

SMC-34 Speaker Mic
With Remote & Volume

New PB-39 7.2V/1100mAH
NiMH battery



Items For Sale HT Antennas

**Others previously listed
are all sold.**

Specifications:

Bands:	2m/70cm
*Gain (relative):	+3dB
Watts:	10
Height:	7.75"
Connector:	BNC

Remarks: *Rated against typical stock HT antennas.

- **1 ea** Diamond RH519
 - 2m/70cm slim HT antenna
 - BNC connector
 - HRO price: \$24.95
 - **Asking: \$5.00/ea**






Sure Power Industries Model 702 Two-Battery Isolator

- Sure Power Industries Model 702 two-battery isolator, negative ground.
- 70A; One input, two outputs.
- Used to eliminate multi-battery drain when two battery banks are charged from the same charger.
- Used prices: ~\$25;
- **Asking: \$10**



Picture below from Aug 2021 PRC Bulletin Article by KC7O.





PowerSonic PSC-123000 12VDC/4A Battery Charger



- PowerSonic PSC-124000 12VDC/4A battery charger
- For Gel or Lead-acid maintenance-free batteries.
- Used prices: ~\$75;
- **Asking \$20**



KF6ISL

SECOND ESTATE (EVERYTHING HAS BEEN SOLD)



KK6TS

THIRD ESTATE (PREPARING ITEMS FOR SALE)



Kenwood TM-G707A 2m-70cm FM Mobile



S/N 10400035
Built: Jul 1999

Features

- 180 Alpha Memories
- Big Display
- DTMF Hand Mic.
- Auto Repeater Offset
- Guide Function
- Dimmer
- Time Out Timer
- Visual Scan
- Priority Scan
- Auto Simplex Checker
- DTSS Selective Call
- PL Decode/Encode
- Packet 1200/9600 Din
- Hi/Med/Lo RF Out

- Kenwood TM-G707A 2m/70cm FM transceiver.
- In original box.
- With a new DFK-4C remote head kit (never installed).
 - DFK remote kits sell for ~\$50.
- MSRP: \$350.
- Used TM-G707A prices: \$220-\$300 depending on condition.
 - This one's in great shape.


• **Asking \$200**



Kenwood TS-590SG Advertisement

Sep 2021 QST Page 31

The Legend Continues



The TS-590SG



Prices as of 8/17/2021:

MSRP \$1,799 (+TSH)

\$1,420 + T,S&H
@ DX Engineering & HRO

\$1,400 + T,S&H
@ GigaParts

KK6TS's radio:
S/N: COA10045
Built Oct 2020;
Purchased@HRO 1/21/21

Like new. Original box.



Kenwood TS-590SG HF/6m 100W Base Transceiver



Features

- 160-6 meters
- [Noise Reduction](#)
- Automatic Tuner
- [RTT/XIT](#)
- 32 bit DSP IF
- Down Conversion
- ✓ Morse Code Decode
- ✓ Programmable Functions
- [Keypad Entry](#)
- ✓ 500 Hz / 2.7 kHz Roofing Filters
- [HF and 6M Antenna Jacks](#)
- Full and Semi Break-in
- [10 Hz Dual VFO Display](#)
- USB Port
- ✓ Advanced DSP AGC
- ✓ Split Function

Prices as of 8/17/2021: MSRP \$1,799
 \$1,420 + T,S&H @ DX Engineering & HRO
 \$1,400 + T,S&H @ GigaParts

S/N: C0A10045 → Built Oct 2020;
 Purchased 1/21/2021. Original box.

Sherwood Engineering rates this radio about the same as the Icom IC-7300 for close-in dynamic range (20 kHz). Other specs similar.

- Includes: owners manual, hand mic, 12VDC power cord and original box.
- HRO Anaheim says these are in demand and are hard to get so would ask \$1000 if sold on consignment through them.
- **Asking \$900.00**



July 30, 2021

Estate Equipment For Sale

12



Heil Proset with HC-5 Mic Communications Headphones



- The Heil Proset with HC-5 Mic element.
- Comes with orange Kenwood adapter cable with round 8-pin connector and socket for foot a switch.
- **Asking \$50**



Kenwood HS-5 Communications Headphones



- The Kenwood HS-5 deluxe communications headphones are engineered and tuned for radio communications purposes to provide distinctive voice sound.
- Barely used, still in original box, with manual.
- Current new price (HRO, DXEngineering = \$82+TSH)
- **Asking \$50**



Heil HM-10-4 Boom Mic



The Heil HC-4 Element has been designed for Serious Dxers. It places a +10 dB rise at 2,000 Hz, which is right in the middle of the human speech range. The result is not a pretty sound, but it cuts through. The low end response rolls off at 600 Hz. The -3 dB point of the HC-4 are set at 600 Hz and 6,000 Hz with the tuned peak being +10 dB at 2,000 Hz.



- Heil boom with desk mount (these run \$30 to \$90 + TSH).
- Orange CC-1-K cord with Kenwood 8-pin round connector and foot switch banana jack (these run ~\$34+TSH)
- Manual-button-switch plugged into the foot switch jack (these run ~\$23+TSH).
- This Mic alone sells for ~\$65 used on ebay today.
- Total value: ~\$150+TSH or more
- **Asking \$60**



Heil Sound Microphone Selection Chart

Several Heil microphones will work on a certain transceiver. The models marked ***** will work best.

TRANSCIVERS

	Connector Type	HC Elements	BM 10 4/5	BM 10 IC	ProSet 4/5	ProSet IC	ProSet Plus	ProSet Plus IC	HM 4/5 Handi Mic	HM 10 4/5 Dual	Goldline 4/5	Goldline Vintage	Classic 4/5	Classic IC	ICM, HM IC	Traveler 706	Traveler B17	Traveler 8 pin	Traveler HST 4HT	Traveler HST KHT	Traveler HST VX	Traveler KM	Traveler PC	Traveler CEL	PR 20, 30, 40
ICOM 701, 730, 740 (can only be used with ICOM mic)																									
ICOM 720, 726 (must use proper 706 mating adaptor)	8 pin mod			*		*		*							*	*	*								
ICOM 730, 740, 751, 754, 761, 775, 781	8 pin			*		*		*							*	*	*								
ICOM 746 (Properly adjusted with Compressor 'on')	8 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
ICOM 746 PRO, 754 PRO, 754 PRO II, PRO3, 7800	8 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						*
ICOM 2200H, 1900H, 2000H, 2100H, 200H (must use 706 or 4000H Adaptor)	8 pin mod														*	*									
YAESU 817, 817*, 837	8 pin mod	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
YAESU FT 100 (Must use AD100 Adaptor)	6 pin mod	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
YAESU 8800, 8900R, 2800H, 7800	8 pin mod	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
TEN-TEC OMNI, JUPITER, ORION (with proper cable)	4 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
COLLINS 11.1Kw, KW-3, Drake TK-4 & Plus Vintage Transmitters	3/16" jack										*	*	*	*	*	*	*	*							
KENWOOD D700, 711, 743, 480, 307	8 pin mod	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			*			
KENWOOD 320, 830, 570, 870, 940, 950, 3000, 440	8 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			*			*
ALPACO (Same pin out as Kenwood)	8 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			*			*
HT KENWOOD D7A, F6A, G71A, K3AT	2 prong																			*					
HT ICOM V8	2 prong																			*					
HT YAESU 50R, 40R, VX1, 2, 5, 150, 40	Single 1/8"																				*				
HT YAESU VX7 (Use Yaesu CT44)	Single 1/8"																			*					
PERSONAL COMPUTER	1/8"														*								*		
CELL PHONE	1/32"														*								*		
FT 1000 MP Series, FT 920, 847	8 pin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						*

Copyright Heil Sound Ltd.

www.heilsound.com

August 2005



Astron RS-35M Power Supply



- CONTINUOUS DUTY: 25 Amps
- ICS*: 35 Amps
- DIMENSIONS: 5 x 11 x 11"
- SHIPPING WEIGHT: 27 lbs
- FUSE: AGC 8A
- POWER TERMINALS:
 - 1/4"-20 Screw Type
- AC CURRENT DRAW
 - IDLE: 230mA
 - FULL LOAD: 5.7A
- FAN COOLED: No
- LED BACKLIT VOLT AND AMP METERS

SOLD

- SOLID STATE ELECTRONICALLY REGULATED
- FOLD BACK CURRENT LIMITING Protects Power Supply from excessive current and continuous shorted output
- CROWBAR OVER VOLTAGE PROTECTION ON ALL MODELS
- MAINTAIN REGULATION AND LOW RIPPLE at low line input Voltage
- THREE CONDUCTOR POWER CORD
- HEAVY DUTY HEAT SINK

- INPUT VOLTAGE: 105-125VAC
- OUTPUT VOLTAGE: 13.8VDC ± 0.05 volts
- INTERNALLY ADJUSTABLE VOLTAGE (11-15VDC)
- RIPPLE: LESS THAN 5MV PEAK TO PEAK (full load and low line)
- LOAD REGULATION: 0.08% from 0 to Full Continuous Load
- EFFICIENCY: 77%
- OPERATING TEMP: -10 to 55°C
- ANDERSON POWER POLES INSTALLED IN -AP MODELS
- 220V MODELS AVAILABLE BY SPECIAL ORDER

New today: \$300-\$330 + TSH

Asking \$160



MFJ-1129 Power Strip



A good match to the Astron RS-35M Power Supply

- DC Voltmeter
- 40 Amps max input.
- Unswitched:
 - 2 Powerpoles
 - 1 binding post
 - Up to 40A
- Switched:
 - 5 Powerpoles
 - 2 binding post
 - Up to 20A
- New: \$130+TSH
- **Asking: \$60**



Calrad 45-737B Regulated 13.8VDC/6A Power Supply



- 117V input
- 13.8VDC output
- 6A continuous
- 8A surge
- Auto cutoff-reset short circuit protection.
- **Asking \$20**



Am-Com, Inc: ClearSpeech Base Audio Noise Filter



AMCom clear speech noise processing unit. It is called a base unit, but due to it's very small size it can be used for base or mobile use. Hook up is simple, just apply +12 volts and plug in the supplied audio cable to your rigs speaker jack, and add a external speaker and your done. It works similar to the digital noise processors in newer radios. Very effective against noise for mobile or base stations.

The Clear Speech Base reduces atmospheric static, electrical noise from power lines, computer hash, and automotive ignition noise by approximately 12 dB, and hetrodynes and carriers (tuner-uppers) by 40-50 dB. Effective on any modulation mode.

- Stand-alone audio DSP unit.
- Great eHam reviews.
- MSRP=\$180+ TSH.
- **Asking \$60**



Speed X Straight Key w/ Code Practice Oscillator



- Wm. Nye integrated code practice oscillator with Speed-X key on weighted base.
- **Asking \$20**



MFJ-422 Pace Setter Keyer (on a Bencher BY-1 Iambic Paddle)



- Like new in original box with original manual.
- New 9V battery.
- Internal side tone generator.
- Perfect for an older rig that doesn't have an internal electronic keyer.
 - Such as the Kenwood TS-50S
- **Asking \$50** (Note: Bencher BY-1 paddles alone sell for \$179+TSH new or \$120 used).



Alpha Delta Delta-4 Coax Switch – Surge Protector



Delta-4B
Sells new @
\$110+TSH

Sold

Delta-4
originally
sold for
\$80+TSH

Built in surge protection plug

• **Asking \$40**



SGC MAC-200

Master Antenna Controller



HF Frequency Range:

Power Input Range:

Number of Inputs:

Number of Outputs:

VSWR:

DC Input Requirement:

DC Operating Range:

Input Current:

Initial set time:

Recurrent set time:

Memory Capacity:

Antenna Length:

1.8 to 60 MHz

1.5 to 200W(PEP)

1 type SO-239

5 (1 end fed, 1 balanced, 3 coaxial)

Typical: Less than 2:1

+13.8 VDC(nominal)

+10 to 18.5 VDC

230 milli Amps average

Typical: Less than 2 seconds

Typical: Less than 10 milliseconds

168 non-volatile locations

9ft(7-60MHz), 40ft(3-60MHz)

100ft(1.8-60MHz)

Estate Equipment For Sale

- Antenna switch & automatic tuner in one unit.
 - Auto switches between antennas with band changes.
- Pwr & SWR meters.
- Up to 5 antennas: 3 coax, one balanced, one unbalanced.
- Brand new, never used.
- Original price: \$320+TSH
- **Asking \$150**

July 30, 2021



Alpha Delta R-T HV EMP Trap



- Never used.
- 2kW up to 500 MHz
- Original manual
- Original package.
- **Asking \$10**



MFJ-259 Antenna SWR Analyzer



- Original MFJ-259.
- 1.8 to 170 MHz.
- Frequency counter.
- Recalibrated SWR (@1:1 & 2:1) & Resistance (@50 & 100 ohms) on 8/19/21.
- New AA batteries 8/19/21.
- **In great condition.**
- Protective carrying case.

Used prices today: ~\$135. **Asking : \$50**



Yaesu SP-3 External Speaker



- Very small external speaker (~2" x 2").
- With magnet in mounting bracket.
- ebay price \$40
- Asking \$20

POSSIBLY SOLD



Pyramid Gold Series Mobile Speakers



- Two mobile speakers.
- ~3" x 3"
- **Asking \$15/ea**



E.F. Johnson Co. 250-0151 Mobile Speaker



- Johnson mobile speakers (3 each)
- About 4" x 4" with mobile mounts
- 3.5mm mono plug
- **Asking \$15/each**



TerryPone Speakers (approximately 1 ft square)



- **Asking \$10/each**

July 30, 2021

Estate Equipment For Sale

30



R.L Drake Co. Model 1609 TV-5200-LP Low Pass Filter



- 1000 Watts continuous below 30 MHz.
- 200 Watts continuous on 6 meters.
- Original MSRP was \$26.60+TSH in Jan 1977.
- **Asking \$20.**



NYE Viking 020-001 Low Pass Filter



- The **Nye Viking 020-001** is a high quality Low-Pass filter. Power Rating: 2000 watts continuous, 5000 peak SSB. M derived sections give flat, low loss, passband and stopband with over 65 dB Attenuation.
- **Asking \$20**



Cushcraft ARX-2B 2m Ringo Ranger II Antenna



- 135-160 MHz.
- Vertical antenna.
- Built in lightning protection.
- **Mast & some coax included.**
- New price today:
\$160+TSH
- **Asking \$50**



Cushcraft ARX-220B 1.25m Ringo Ranger II Antenna



- 222-225 MHz.
- Vertical antenna.
- Built in lightning protection.
- **Mast & some coax included.**

- New price today:
\$162+TSH
- **Asking \$50**



Cushcraft ARX-450B 70cm Ringo Ranger II Antenna



- 435-450 MHz.
- Vertical antenna.
- Built in lightning protection.
- **Mast & some coax included.**

Needs a new radial ring and one radial (I broke it)

- New price today:
\$160+TSH
- **Asking \$50**



Cushcraft Ringo Ranger II Antennas

	ARX-2	ARX-2B	ARX-220B	ARX-450B
Frequency	135-160 MHz	135-160 MHz	222-225 MHz	435-450 MHz
SWR 1:1 Typical 2:1 Bandwidth	+6 MHz	+5 MHz	+5 MHz	+5 MHz
Gain	5.5 dBi	7.0 dBi	7.0 dBi	7.0 dBi
Power Rating	1000 Watts	1000 Watts	500 Watts	500 Watts
Radiation Angle	16°	7°	7°	7°
Horizontal Radiation Pattern	360°	360°	360°	360°
Radiator Base Diameter	9 in 23 cm	7.5 in 19 cm	7.5 in 19 cm	5.0 in 12 cm
Height	17 ft 5.2 m	14 ft 4.3 m	9.3 ft 2.8 m	4.9 ft 1.5 m
Mast Size Range	10-125 in 254-31 cm	10-125 in 254-31 cm	10-125 in 254-31 cm	75-88 in 19-222 cm
Wind Load	.33 ft ² .03m ²	.5 ft ² .05m ²	.33 ft ² .03m ²	.2 ft ² .02m ²
Radial Length	20.5 in 52.1 cm	20.5 in 52.1 cm	13.25 in 33.7 cm	6.75 in 17.1 cm
Weight	4 lb 1.8 kg	6 lb 2.7 kg	5 lb 2.3 kg	1 lb .45 kg



The Shorty All-Bander Dipole



- 70' dipole with loading coils and fed with 450 ohm ladder line.
- Needs a 4:1 balun.
- Brand new, never used.
- Mixed eHam reviews.
- Original MSRP \$45+TSH
- **Asking: \$20**



Dual Band Dipole Antenna



- Dual bands: 20m & 40m.
- 70 ft long
- Complete with center balun w/ SO-239 connector, two traps, end insulators, and one end with a guy rope.
- **Asking: \$20**



Horizontal Loop Antenna



- Dimensions TBD
 - Each of four legs is about 35 ft long.
 - So loop perimeter is about 140 ft.
- Complete with center balun, four corner insulators, and guy ropes, except for four supporting masts.
- **Asking: \$30**



AA6QI

OTHER ITEMS FOR SALE




Items For Sale

Yaesu FT-757GXII+FC-757AT+FP-757HD



Type:	Amateur HF transceiver
Frequency range:	TX: 10-160 m + WARC RX: 0.15-30 MHz
Tuning steps:	10 Hz, 1 / 2.5 / 10 KHz
Frequency stability:	±10 ppm (0° to 40°C / 32° to 104°F), after 15 min warmup
Mode:	AM/FM/SSB/CW
Channels/memory management:	10 regular
Repeater shift/offset:	No dedicated. Use VFO A/B split instead
Power supply:	13.8 VDC
Current drain/power consumption:	RX: Max 2 A TX: Max 19 A
Antenna impedance/connector:	50 ohm / SO-239
Dimensions (W*H*D):	238*93*238 mm (9.4*3.7*9.4")
Weight:	5.2 Kg (11.5 lbs)
Other features:	Built-in keyer with full QSK, VOX.

- FC-757AT matching HF-band antenna tuner.
- FP-757HD matching Heavy Duty power supply with speaker.
- **Asking \$450** (set of 3 only)



Items For Sale

Yaesu FP-757HD power supply



- 12VDC/20A heavy duty power supply **and** speaker.
- Matching unit for Yaesu FT-757GX or FT-757GXii.
- One on ebay today asking \$199 + \$27 SH
- **Asking \$50**



Items For Sale

Astron RS-20A Power Supply

- Linear power supply.
- 13.8V/16A continuous
- 13.8V/20A 50% duty cycle.
- Used prices ~\$90-\$110.
- **Asking \$40**



Have one Interested Person



Items For Sale

MFJ-989C Versatuner V

- Full legal limit
- 1.8-30 MHz
- Balun for balanced lines
- Internal 300W dummy load
- Outputs: Two coax, one wire or balanced line, one dummy load
- Lighted meter



- Excellent condition (like new).
- Today's price for an MFJ-989D: \$430.00
- Current 989C used prices: ~\$300.00
- **Asking: \$150.00**



More Coming...

- From the estate of Jerry Person KK6TS.
 - Some items now in the above slides.
 - More coming.
- From Jay Holiday W6EJJ who is downsizing for a move to his retirement community.
 - Waiting for him to do the inventory.
- Equipment for sale from Marshall Hall K6MEF who is downsizing for his move to a smaller home.
 - Will go inventory it when I get a chance.



KK6TS

NOT YET READY



Kenwood TM-231A, TM-331A, TM-441A 3 Stacked Individual FM Mobile Radios



2m (144 MHz), 1.25m (220 MHz), and 70cm (440 MHz)

Each Radio: Features

- 20 Memories
- Scanning
- Call Channel
- Auto Power Off
- Tone Alert
- CTCSS Encode
- MHz Switch
- Auto Repeater Offset
- Time-out Timer
- ~~Optional Digital Recording Unit~~

- TSU-6 CTCSS Decoder board not present in any of these three.
 - TSU-6 ordered for the 2m TM-231A (\$49.02).
 - Arriving ~ Sep 1st
- TM-441A right side display lamps burned out. **Replacements ordered.**
- Can use with three separate antennas or with a single tri-band antenna plus a triplexer.
- **Asking: \$TBD** for the set as shown.

2m S/N 10600588 Sep 1989; 1.25m S/N 21000046 Jan 1991; 70cm S/N 40300729 Jun 1992



Kenwood TM-642A

2m/1.25m/(70cm) FM Mobile



S/N: 60100010
Built Apr 1994

Features

- 100 Memories
- Scanning
- CTCSS Encode
- Date/Time Display
- Auto Power Off
- Cross Band Repeat
- DTMF Memory
- Auto repeater Offset-2M
- DTSS Pager Function
- Backlit MC-53DM Mic

- PLACEHOLDER for now.
- Originally 2m & 1.25m.
- Replacement DTMF mic ordered and received.
- 70cm module (UT-440S) purchased but not yet installed.
- TSU-7 CTCSS Decoder purchased but not yet installed.
- Memory B/U battery needs replacing (purchased but not yet installed).
- Remote head kit was installed but is now removed (but is included with sale).
- **Asking TBD**

Not Ready Yet



Kenwood TS-50S Mobile HF Transceiver



Features

- Dual VFO's
- 100 Memories
- Scanning
- TF-Set
- CW Reverse
- AGC (Slow/Fast)
- Kenwood AIP
- RIT
- 100/50/10 Watts
- Menu Programming
- General Coverage Rx (0.5-30 MHz)
- DDS with "Fuzzy" Logic
- Full or Semi Break-In
- All Mode Squelch
- IF Shift
- 12 VDC 20 Amp Operation

Used prices on ebay: ~\$500

S/N: 41001166; Built: Jan 2003

Power output low and varying (ALC issues?); Audio "busy" indicator hangs for long times.

TS-50's known to have electrolytic capacitor issues and -6V DC-DC converter issues (this feeds the ALC comparator). I have not opened up the radio to check that out yet but, just based on symptoms so far, this repair may not be worth it for me.

Plan is to sell on ebay for parts (~\$200).

- No internal antenna tuner (supports external tuners such as the Kenwood AT-300 or MFJ-939K).
- No internal keyer so needs an external keyer (like the MFJ-422).
- No external computer control capability (would need something like a Signalink to do digital modes).

- **Asking: \$TBD**



THE END